

Dated: 10-11-2025

CORRIGENDUM

Name of Work: Supply of different types of office furniture in HP University Shimla 5

In continuation to this office Tender Notice of even number dated 02-11-2025 and subsequent discussions during the Pre-Bid Meeting held on 06-11-2025, certain changes/additions/clarifications have been incorporated in the original tender document for consideration of all intending bidders before submission of their online bids. These changes/additions/clarifications are mentioned below:

Sr. No.	Page No.	Annexure	Point No.	Mentioned Point As per Original Tender Document	Additions/Clarifications/Changes
1.	5	'A'	4	Executive Modular Table	In addition to the already mentioned specifications, the following additional specifications are incorporated as under: i) Provision for placing computer keyboard beneath the tabletop in the central portion having width of 550mm with a smooth sliding mechanism. ii) The pre-laminated particle board shall be of Grade-II, Type-IV conforming to ISI 2823:1990. iii) All handles, locks, channels, hinges, and other hardware shall be of Ebco or Hettich make (Brushed finish, Grade 304 Stainless Steel). iv) A mandatory integrated cable management system shall be included, comprising of one flush-mounted, flip-flop aluminum cable port(250mm*100mm) on the main worktop with provisions for power and data sockets. All vertical supports (gable ends/legs) must be fitted with adjustable leveling glides with a minimum adjustment range of 20 mm. v) Arrangement of pedestal for two box drawers and one filing drawer shall be as per the enclosed

Sr. No.	Page No.	Annexure	Point No.	Mentioned Point As per Original Tender Document	Additions/Clarifications/Changes
					isometric sketch (Kindly see Annexure -I of this corrigendum).
2.	6	'A'	8	High Back Revolving Chair	In addition to the specifications mentioned in the original tender document, the following additional specifications are incorporated/changed as under: i) Use of Non-commercial Plywood in place of already mentioned commercial plywood for making the seat and back of the said chair. ii) The chair shall be provided with Heavy Duty Synchronous- Tilt Mechanism with a minimum of 4 locking positions and an anti-shock function. Must feature a side-mounted, user-adjustable tilt tension control and the said chair must support a minimum weight of 150 Kg or above. iii) Pedestal base shall have five-legged injection molded glass-filled nylon with five twin-wheel castors (Noise Free), Polyurethane (PU) castors suitable for all flooring types, conforming to ANSI/BIFMA standards.
3.	8	'A'	3	Visitor Chair (With Arms)	In addition to the specifications mentioned in the original tender document, the following additional specifications are incorporated/changed as under: i) Visitor Chairs (With Arms) are required. ii) The seat and back shall be made of 15mm thick non-commercial ply wood in place of already mentioned commercial plywood with high resilience molded polyurethane foam 50mm thick having density of 40kg/m³ in seat and 40mm thick having density 40kg/m³ in back. iii) A "Waterfall" seat edge design is required. iv) The use of separate plywood pieces is not acceptable. Basic plastic shoes are not acceptable.


Sr. No.	Page No.	Annexure	Point No.	Mentioned Point As per Original Tender Document	Additions/Clarifications/Changes
4.	8	'A'	—	Note:	The colour, shade, and finish of all tendered items shall be intimated to the L-1 bidder during negotiation before award of work.
5.	11	'C'	11	Additional Documents to be enclosed with the technical bid by bidders	The documents requisitioned as per point no. 11 a) & d) to l) remains same. The documents requisitioned vide point no. 11b) to c) are amended as under and the Bidder/OEM must submit the following documents: b(i) Self-certified certificate mentioning that all raw materials used in the furniture conform to ISI standards. b(ii) Self-attested copy of valid BIFMA certificate (Minimum Level-2 or above Level certification). b(iii) Self-attested copies of valid ISO 9001 and ISO 14001 certificates issued by NABCB/IAF or other higher accredited agencies. Above certificates must have proper validity period. b(iv) The bidder/OEM shall also submit self-attested copies of valid Green Guard Certification for all tendered furniture items. c) All the bidders/OEM shall submit an undertaking along with the Technical Bid stating that they shall furnish the Lab Testing Certificate issued by a National Accreditation Board for Testing and Calibration Laboratories (NABL) accredited laboratory for the tendered items. Upon selection, the L-1 bidder shall mandatorily produce the said NABL Test Certificate for verification prior to issuance of the Supply Order. In the event that the L-1 bidder/OEM refuses to accept the award of the Supply Order due to any unforeseen circumstances or with any mala fide or deliberate

Sr. No.	Page No.	Annexure	Point No.	Mentioned Point As per Original Tender Document	Additions/Clarifications/Changes
					intent to obstruct the procurement process, appropriate complaint or disciplinary action shall be initiated against the concerned L-1 bidder (whosoever is declared L-1 during the procurement process and rejected to accept the supply order within 7 days of communication from the Store Purchase Section, H.P. University, Shimla-5) before the competent authority or forum. Thereafter, the next L-2 bidder, after due technical and financial evaluation, may be considered and communicated subject to the condition that they agree to match the rates quoted by the previously selected L-1 bidder/OEM.
6.	16	'E'	1	Eligible Bidder	The intended OEM shall attach proof of details of the authorized service support representative to whom service-related issues can be addressed. A valid Toll-Free Number/Contact Number for online service support shall also be clearly mentioned in the supporting documents submitted along with the Technical Bid. Upon receipt of any formal communication or service call at the Toll-Free Number/Contact Number/Address provided by the concerned L-1 bidder/OEM, failure to provide the requisite service support within seventy-two (72) hours from the time of such intimation from the H.P University, Shimla-5 shall render the bidder/OEM liable for appropriate action and proceedings before the competent authority/forum. Furthermore, a penalty on a per-day basis shall be imposed upon the defaulting bidder/OEM for the period of delay beyond the stipulated 72 hours, as may be determined by the University.

Sr. No.	Page No.	Annexure	Point No.	Mentioned Point As per Original Tender Document	Additions/Clarifications/Changes
7.	17	'E'	9	Earnest Money Deposit (EMD)	The EMD Shall also be submitted in the first envelope super-scribed as "Technical Bid" prescribed amount by way Demand Draft (DD)/Fixed Deposit Receipt (FDR) (in original only) drawn In the favor of The Finance Officer, H.P. University Shimla-s, and must be submitted before or on the date and time of opening of the Technical Bid.
8.	19	'E'	13	Sample of Furniture Required	In addition to the instructions/Terms& Conditions mentioned vide this point no. 13, following addition is incorporated that: Only the samples of the L1 bidder be retained by the H.P University, and the samples of all other technically qualified bidders will be returned after evaluation at the cost and risk of the respective bidders themselves.
9.	20	'E'	19	Performance Security Amount	In place of Sr. No. 19 -ii) in the original tender document shall be read and incorporated as Sr. No. 20 ii)

Sd/-
Store Purchase Officer
Himachal Pradesh University, Shimla-5

EXECUTIVE MODULAR TABLE



Handwritten signature

ISOMETRIC VIEW (TABLE)
SCALE = 1:20